

**Elegant**

**Trio**

**GÜNKO** INDUSTRIAL

Professional Rack Cabinet For Cost Effective Network Infrastructures

**Width: 600mm**

Elegant Trio rack series offers the permanent solution for management of Network devices and cables. Unique, flexible and cost effective range is the ideal solution to support the Network and server applications with its durable structure.

Elegant Trio rack networking Cabinet are intended for installation of data and telecommunication devices and their distribution systems, mostly used for structured network cabling systems in Office environments also to be used in computer-rooms and small or large sized data-centers, lot of options for doors, side- and rear panels, as well as many different accessories, make the use of the enclosure very flexible.

Vertical mounting rails are adjustable throughout the entire depth of the cabinet and have very high carrying capacity with 1.5mm thickness Silk-screen mounting rails are providing ability to count U- Marking from top to down & down to up for easy device installation

Removable side and rear panels allow comfortable and easy access to the installed devices for maintenance from all sides of the cabinet, it is possible to install an optional fan-unit into the roof



Front view  
With Glass door



Rear Solid  
metal Panel



Rear Solid  
metal Panel

Curved type perforated  
front door 80%



Split rear  
Perforated doors 80%



### Protect your device against overheating by choosing the right fan module.

We offer a wide product range of ventilation units with the different fan modules.

- With On/Off switch
- With Analog or digital thermostat
- 19inch Rack mount type



M-Joint cable entry panels located on the top cover designed for easy cabling and High-density cabling. Dimensions w: 300 – D: 56 mm




Vertical mounting rails are adjustable throughout the entire depth of the cabinet and have very high carrying capacity with 1.5mm thickness. Silk-screen mounting rails are providing ability to count U- Marking from top to down & down to up for easy device installation




Sliding & M-Joint cable entry panel located on the bottom plates has been designed for easy cabling and High-density cabling by using cable entry panels with the dimensions w: 300 – D: 125 mm



Technical Drawings



Technical Drawings



Product code	Product description	Out width ( W )	Out depth( D )	H:1 inner Height	H:2 Out Height without feet & wheel set	H:3 Out height with levelling feet	H:4 Out height with wheel set
ELGT 20U 6060 BL 111	Elegant Trio 19" 20U W=600 mm D=600 mm	600	600	892,2	977,1	1007,1	1057,1
ELGT 26U 6060 BL 111	Elegant Trio 19" 26U W=600 mm D=600 mm	600	600	1158,9	1243,8	1273,8	1323,8
ELGT 32U 6060 BL 111	Elegant Trio 19" 32U W=600 mm D=600 mm	600	600	1425,6	1510,5	1540,5	1590,5
ELGT 42U 6060 BL 111	Elegant Trio 19" 42U W=600 mm D=600 mm	600	600	1870,1	1955	1985	2035
ELGT 20U 6080 BL 111	Elegant Trio 19" 20U W=600 mm D=800 mm	600	800	892,2	977,1	1007,1	1057,1
ELGT 26U 6080 BL 111	Elegant Trio 19" 26U W=600 mm D=800 mm	600	800	1158,9	1243,8	1273,8	1323,8
ELGT 32U 6080 BL 111	Elegant Trio 19" 32U W=600 mm D=800 mm	600	800	1425,6	1510,5	1540,5	1590,5
ELGT 42U 6080 BL 111	Elegant Trio 19" 42U W=600 mm D=800 mm	600	800	1870,1	1955	1985	2035
ELGT 26U 6010 BL 111	Elegant Trio 19" 26U W=600 mm D=1000 mm	600	1000	1158,9	1243,8	1273,8	1323,8
ELGT 32U 6010 BL 111	Elegant Trio 19" 32U W=600 mm D=1000 mm	600	1000	1425,6	1510,5	1540,5	1590,5
ELGT 42U 6010 BL 111	Elegant Trio 19" 42U W=600 mm D=1000 mm	600	1000	1870,1	1955	1985	2035